

3-way solid stainless steel mixer tap with a removable, flexible head

Description:

Triflow tap – hot/cold/osmosis filter

Solid stainless steel

Flexible head

Broadcaster 2 positions: normal,
shower jet

Finish – chrome

Technical details:

Max pressure – 10 bar

Weight – 3.6kg


Temperature – min 5/ max 60oC

Hole in sink – 35mm


Max surface thickness – up to 60mm

Price to collect/posted:
375.00

Price installed:
450.00



3-way metal free mixer tap



Description:

Triflow tap – hot/cold/osmosis filter

Stainless steel

Finish – shiny chrome

Ceramic valve keeps water out of contact with metal

NSF certified

Technical details:

Works best on a pressurised system

Connections – 3/8

Tube connection – 1 / 4”

Max pressure – 6 bar

Price to collect/posted:
305.00

Price installed:
380.00

Description:

Triflow tap – hot/cold/osmosis
filter

Finish – shiny chrome

NSF certified

Technical details:

Works best on a pressurised
system


Connections – 3/8 steel wire
braided connection

Connecting hose – 1.5 ft length


Price to collect/posted:
160.00

Price installed:
235.00

3-way single-handle mixer tap



3-way mixer tap



Description:

Triflow tap – hot/cold/osmosis filter

Finish – shiny chrome

NSF certified

Technical details:

Works best on a pressurised system

Connections – 3/8 steel wire braided connection

Connecting hose – 1.5 ft length

Also available in metal free

Price to collect/posted:
180.00

Price installed:
255.00

Description:
Triflow tap – hot/cold/osmosis filter

Finish – matte black brass finish
(also available in white)

NSF certified

Technical details:


Connections – 3/8’’

Weight – 1.6kg

Connections – 3/8’’

Price to collect/posted:
325.00

Price installed:
400.00



A: 380mm
B: 252mm
C: 54mm
D: ø 24mm

3-way metal free inox mixer tap

Description:

Triflow tap – hot/cold/osmosis filter

Finish – brushed chrome

Ceramic valve keeps water out of contact with metal

NSF certified

Technical details:

Works best on a pressurised system

Connections – 3/8"

Price to collect/posted:
305.00

Price installed:
380.00

